

Check-In C5

Review: Syntactic Ambiguity

$Expr \rightarrow Expr \textbf{plus} Expr$
 $Expr \rightarrow Term$
 $Term \rightarrow Term \textbf{times} Term$
 $Term \rightarrow Factor$
 $Factor \rightarrow \textbf{intlit}$

Add parentheses to this grammar. The new rule(s) should maintain implicit precedence, but allow parens that can override it. Also, make the grammar unambiguous.

Does this change whether the grammar is left-recursive, right-recursive, or recursive?

○ Administrivia

On Written Work...

Sorry for the confusion!


If you attend class when a written work is due, you DO NOT have to turn it in



○ Administrivia

Behold: The Drew Positioning System

<https://drew.davidson.cool/where>



○ Administrivia

Behold: The Project Oracle!

<https://compilers.cool/oracles/o1>

What's the format of output $\langle x \rangle$?

- Submit input to the Oracle

What's the token for character $\langle y \rangle$?

- Submit y to the Oracle



○ Administrivia

Behold: The Dragon Trials!

<https://compilers.cool/trials/t1>

Trial 1

Due on February 6th 11:59 PM (Not accepted late).

Updates



None yet!

Overview

In Project 1, you *used* a scanner-generator (e.g., Flex). In this assignment, you will *create* a scanner-generator. Your scanner-generator should work much like Flex, though it will use a decidedly stripped down format.



FLIPPED WEDNESDAY



○ Written Work #1

Topics:

- Compiler Overview



○ Written Work #1: Question 1

What is the purpose of the lexer component of a compiler? Give an example of an input that GCC would flag for a lexical error.

"abc



○ Written Work #1: Question 2

What is the purpose of the syntactic analysis component of a compiler? Give an example of an input that GCC would flag for a syntactic error.



Written Work #1: Question 3

What is the purpose of name analysis in a compiler? Give an example of an input that GCC would flag for failing name analysis.

defn
added
to the
symbol
table

```
a: int;  
main: () int {  
  a: int;  
  a = 7;  
}
```

pull defn
out of
symbol table

////

Written Work #1: Question 4

What is the purpose of type analysis in a compiler? Give an example of an input that GCC would flag for failing type analysis.

```
a: perfect int = 7;
```

```
int main() {  
    char b = "abc";  
}
```



Example Parse Tree for Grammar

$$P_1 \quad E \rightarrow E + E$$

$$P_2 \quad | \quad T$$

$$P_3 \quad T \rightarrow T * T$$

$$P_4 \quad | \quad F$$

$$P_5 \quad F \rightarrow \text{int} | \text{id}$$

1 + 2 + 3

